



Ordering Information

Commercial model number:
CE991A (BGJ)

Canada model number:
CE991A

Sidebar

In the box:

Print cartridge
HP ePrint flyer
Getting started guide
Right-angle power cord
Software and documentation on CD-ROM
Support flyer

Software:

Windows Installer
HP PCL 6 print driver
Mac Installer
Postscript driver

Standard warranty:

1 year, next business day, on-site limited

Replaces

[HP LaserJet P4015n Printer](#) CB509A [Compare](#)

[HP LaserJet P4015tn Printer](#) CB510A [Compare](#)

[HP LaserJet P4015x Printer](#) CB511A [Compare](#)

HP Care Pack Options

Recommended Care Pack Services

Installation with Network Setup Service **UC742E**

Next Business Day Onsite with DMR: 3 years **HZ490E**

Optional Care Pack Services

Installation with Network Setup Service **UC742E**

Same Day Onsite, **HZ480E**

Fast, high-quality printing, reliable performance and added extensibility.

Keep your workflow moving with fast output and precision paper handling. High-capacity paper trays, plus options to add more, give you up to 3,600 sheets.¹ Manage print jobs from the color control panel, and print directly from a flash drive.

Cut energy use as much as 45 percent, compared to a majority of competing laser printers.² Set and adjust printing policies based on a workgroup's real-time usage.

Lead your business to a more responsible approach to printing and handling sensitive data. HP technology helps you enforce policies, enhance security, and give your workgroup the tools to support larger business initiatives.

Extend your print capabilities to keep pace with your growing business. Get a host of mobile and direct printing options with HP ePrint.³ Customize new solutions seamlessly, with minimal disruption.⁴



[Enlarge Image](#)

Compatible Operating Systems

Standard Desktop

Windows XP	SP2 or higher
Windows Server 2003	*
Windows Server 2008	*
Windows Vista®	*
Windows® 7	*
Novell NetWare	See http://www.novell.com/iprint for latest support
UNIX®	See http://www.hp.com/go/unix , http://www.hp.com/go/unixmodelscripts , http://www.hp.com/go/jetdirectunix_software
Linux	See http://www.hplip.net
Mac OS	Mac OS X v 10.5, 10.6, 10.7
Other	Citrix and Windows Terminal Services (see System Administrator's Guide at http://www.hp.com/go/upd , Documentation tab for latest support); SAP device types (see http://www.hp.com/go/sap/drivers and http://www.hp.com/go/sap/print)

Additional Information

Sales	www.hp.com Data Sheet 4AA3-6459ENUC
Technical Support	www.hp.com/support
Third-party solutions Reseller	www.hpgsc.com http://hp.com/partners/us
Services	http://www.hp.com/go/services
Supplies and accessories	www.hp.com

Standard
Business
Hours: 3 years

Same Day
Onsite,
Standard
Business
Hours: 4 years

Same Day
Onsite,
Standard
Business
Hours: 5 years

Same Day
Onsite,
Extended
Business
Hours: 3 years

Same Day
Onsite,
Extended
Business
Hours: 4 years

Same Day
Onsite,
Extended
Business
Hours: 5 years

Next Business
Day Onsite: 3
years

Next Business
Day Onsite
with DMR: 3
years

Next Business
Day Onsite
with DMR: 4
years

Next Business
Day Onsite
with DMR: 5
years

Next Business
Day Onsite
Call-to-Repair
with DMR: 3
years

Next Business
Day Onsite
Call-to-Repair
with DMR: 4
years

Next Business
Day Onsite
Call-to-Repair
with DMR: 5
years

Second
Business Day
Onsite Call-to-
Repair with

HZ493E

HZ494E

HZ481E

HZ491E

HZ492E

HZ478E

HZ490E

HZ488E

HZ489E

HZ742E

HZ743E

HZ744E

HZ745E

Brand Specifications

PRINTER

Print Speed Black, Letter:	
ISO/Best Quality	Up to 52 ppm ⁵
First Page Out	As fast as 8.5 sec from Ready mode
Processor	800 MHz
Paper Trays, Std	2
Paper Trays, Max	6
Input Capacity, Std	600 sheets
Input Capacity, Max	3,600 sheets
Output Capacity, Std	600 sheets
Output Capacity, Max	1,100 sheets
Envelope Input, Std	10
Envelope Feeder	75
Two-Sided Printing	Manual (driver support provided)
Typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts
Prints Color	No
Print Quality, Black Best	Up to 1200 x 1200 dpi
Print Resolution Technology	HP ProRes 1200, HP FastRes 1200, HP REt, 600 dpi, 300 dpi
Print Languages, Std	HP PCL 6, HP PCL 5e (HP PCL 5e driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.4)
Printer Management	HP Web Jetadmin, HP SureSupply, HP Utility (Mac)
Display Type	4-line LCD (color text and graphics)

GENERAL

Duty Cycle, Monthly	Up to 225,000 pages ⁶
Recommended Monthly Volume	3,000 to 15,000 pages ⁷
Media Types	Paper (bond, color, letterhead, plain, preprinted, prepunched, recycled, rough, light), envelopes, labels, cardstock, transparencies, shelf edge labels, user-defined
Media Sizes, Std	Multipurpose tray 1: letter, legal, executive, statement, 8.5 x 13 in, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, envelope (commercial No. 9, No. 10, Monarch), US postcard; tray 2, optional 500-sheet input tray: letter, legal, executive, 8.5 x 13 in; optional 1500-sheet high-capacity input tray: letter, legal
Media Sizes, Std, Metric	Multipurpose tray 1: A4, A5, A6, B5 (JIS), B6 (JIS), 16K, Dpostcard (JIS), executive (JIS), RA4, 10 x 15 cm, envelope (DL ISO, C5 ISO, C6 ISO, B5 ISO); tray 2, optional 500-sheet input tray: executive (JIS), A4, A5, RA4, B5 (JIS), 16K; optional 1500-sheet High-capacity input tray: A4
Media Sizes, Custom	Multipurpose tray 1: 3 x 5 in to 8.5 x 14 in; tray 2, optional 500-sheet input tray: 5.83 x 8.27 in to 8.5 x 14 in; optional custom media cassette: 4.02 x 5.83 in to 6.69 x 11.10 in
Media Sizes, Custom, Metric	Multipurpose tray 1: 76 x 127 to 216 x 356 mm; tray 2, optional 500-sheet input tray: 148 x 210 to 216 x 356 mm; optional custom media

DMR: 3 years

Second Business Day Onsite Call-to-Repair with DMR: 4 years

HZ746E

Second Business Day Onsite Call-to-Repair with DMR: 5 years

HZ747E

Next Business Day Exchange: 3 years

HZ479E

Next Business Day Exchange: 4 years

HZ485E

Next Business Day Exchange: 5 years

HZ486E

Maintenance Kit Replacement Service (Fuser)

U1G03E

Post Warranty Service, Remote User Assistance Support: 1 year

HC128PE

Post Warranty Service, Same Day Onsite, Standard Business Hours: 1 year

HZ499PE

Post Warranty Service, Same Day Onsite, Extended Business Hours: 1 year

HZ500PE

Post Warranty Service, Next Business Day Onsite: 2 years

HZ502PE

Post Warranty Service, Next Business Day Onsite with DMR: 1 year

HZ501PE

Post Warranty Service, Next Business Day Onsite Call-to-Repair with DMR: 1 year

HZ748PE

Post Warranty Service, Second Business Day

HZ749PE

Media Weights

cassette: 102 x 148 to 170 x 282 mm
Multipurpose tray 1: 16 to 53 lb; tray 2, optional 500-sheet input tray, optional custom media cassette, optional 1500-sheet high-capacity input tray: 16 to 32 lb; optional envelope feeder: 20 to 28 lb; optional duplexer: 16 to 32 lb

Media Weights, Metric

Multipurpose tray 1: 60 to 200 g/m²; tray 2, optional 500-sheet input tray, optional custom media cassette, optional 1500-sheet high-capacity input tray: 60 to 120 g/m²; optional envelope feeder: 75 to 105g/m²; optional duplexer: 60 to 120 g/m²

Connectivity, Std

Hi-Speed USB 2.0, Gigabit Ethernet, 2 external Host USB (1 walk-up and 1 external accessible), 2 internal Host USB 2.0-like ports (for 3rd party connection), 1 Hi-Speed USB 2.0 HIP (for 3rd party connection)

Connectivity, Opt

802.11b/g/n wireless LAN (Station mode), other networking accessories

Mobile Printing Capability

HP ePrint

Memory, Std

512 MB

Memory, Max

1 GB

Hard Disk Drive

None

ENERGY STAR® Qualified

No

Mac Compatible

Yes

Dimensions (W x D x H)

16.3 x 30.2 x 15.7 in (maximum), 16.3 x 16.9 x 15.7 in (minimum)

Weight

52.1 lb

Dimensions, Metric

415 x 768 x 398 mm (maximum), 415 x 428 x 398 mm (minimum)

Weight, Metric

23.7 kg

Shipping Dimensions

23.15 x 21.26 x 19.65 in

Shipping Weight

60.5 lb

Shipping Dimensions, Metric

588 x 540 x 499 mm

Shipping Weight, Metric

27.5 kg

Pallet Dimensions

40 x 48 x 90 in

Pallet Dimensions, Metric

1200 x 1000 x 2285 mm

Pallet Weight

1018 lb

Pallet Weight, Metric

462 kg

Quantity Per Pallet

16

HP LaserJet Enterprise 600 M602 (M602n shown)



Front view



Rear view

Note: Automatic two-sided printing accessory is optional on M602n.

Jetdirect Products

[HP Jetdirect ew2500 \(J8021A\)](#)

[HP Jetdirect 2700w \(J8026A\)](#)

Accessories

HP Universal Print Driver for Windows 5.2

HP Universal Print Driver for Windows (J7980A/J7981A)

HP Web Jetadmin Software 10.3

HP Web Jetadmin Software 10.3 (J6052AA)

Cables

HP USB Cable 2.0 (a-b) 3 meter (C6520A) (Discontinued)

HP Hi-Speed USB Cable (6 ft./1.8 m) (Q6264A) (Discontinued)

Memory and mass storage

Onsite Call-to-
Repair with
DMR: 1 year

Post Warranty
Service, Next
Day Exchange:
1 year

HZ497PE

DDR2 DIMM (144-pin x32): 512 MB (CE483A)

Paper-handling accessories

- HP LaserJet P4010/P4510/600 Series Printer Stand (CB525A)
- HP LaserJet Custom Media Tray (CB527A)
- HP LaserJet 1500-sheet High-capacity Input Tray (CE398A)
- HP LaserJet 75-sheet Envelope Feeder (CE399A)
- HP LaserJet 500-sheet Stacker (CE404A)
- HP LaserJet 500-sheet Stapler/Stacker (CE405A)
- HP LaserJet 500-sheet 5-bin Mailbox (CE997A)
- HP LaserJet 500-sheet Input Tray Feeder (CE998A)
- HP LaserJet Automatic Duplexer for Two-sided Printing Accessory (CF062A)
- HP 1000-staple Cartridge (Q3216A)

Maintenance kits

- HP LaserJet Printer 110V Maintenance Kit (CF064A)
- HP LaserJet Printer 220V Maintenance Kit (CF065A)

LaserJet font solutions

- HP BarCode Printing Solution (HG271TT)
- HP MICR Printing Solution - USB (HG277TT)

Compatible Supplies

HP LaserJet Cartridges and Kits

- HP 90A Black LaserJet Toner Cartridge ([CE390A](#))
- HP 90X Black LaserJet Toner Cartridge ([CE390X](#))
- HP 90X Black Dual Pack LaserJet Toner Cartridges ([CE390XD](#))

Compatible Paper Products

Top Recommended Papers

HP LaserJet Paper

8.5 x 11 in	24 lb	500 sheets	HPJ1124
-------------	-------	------------	-------------------------

HP Professional Papers

HP Premium Glossy Presentation Paper

8.5 x 11 in	32 lb	250 sheets	CG988A
-------------	-------	------------	------------------------

HP Laser Glossy Tri-fold Brochure Paper

8.5 x 11 in	40 lb	150 sheets	Q6612A
-------------	-------	------------	------------------------

HP Laser Glossy Brochure Paper

8.5 x 11 in	52 lb	100 sheets	Q6608A
8.5 x 11 in	40 lb	150 sheets	Q6611A

HP Everyday Papers

HP Premium Choice Laser Paper

8.5 x 11 in	32 lb	500 sheets	HPU1132
-------------	-------	------------	-------------------------

HP LaserJet Paper

8.5 x 11 in	24 lb	500 sheets	HPJ1124
8.5 x 11 in	24 lb	2,500 sheets (5 reams)	HPJ115R

HP All-in-One Printing Paper

8.5 x 11 in	22 lb	500 sheets	HPT1122
8.5 x 11 in	22 lb	2,500 sheets	HPT115

HP Multipurpose Paper

8.5 x 11 in	20 lb	500 sheets	HPM1120R
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	HPM1120C
8.5 x 11 in	20 lb	2,500 sheets (5 reams)	HPM115RC
8.5 x 11 in, 3-hole punch	20 lb	500 sheets	HPM113H
8.5 x 14 in	20 lb	500 sheets	HPM1420

HP Office Paper

8.5 x 11 in	20 lb	2,500 sheets (5 reams)	HPC115RC
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	HPC8511C
8.5 x 11 in, 3-hole punch	20 lb	500 sheets	HPC3HP

8.5 x 14 in	20 lb	500 sheets	HPC8514
8.5 x 11 in	20 lb	500 sheets	HPC8511R
HP Office Quickpack			
8.5 x 11 in	20 lb	2,500 sheets	HP2500S
HP Recycled Paper			
8.5 x 11 in	20 lb	500 sheets	HPE1120R
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	HPE1120C
HP Business Copy Paper			
8.5 x 11 in	20 lb	500 sheets	HPBC11
HP Everyday Copy and Print Paper			
8.5 x 11 in	20 lb	500 sheets	HPA510

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

1. The 1 x 1500-sheet high-capacity input tray may be purchased separately for the HP LaserJet Enterprise 600 M602 Printer series.
2. Energy data used to calculate savings based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method vs. a majority of worldwide top-selling competitive models less than \$2,299 as of March 2011 using data reported in <http://www.energystar.gov> and <http://eu-energystar.org> as of July 2011. Data extended to one year. Actual results may vary.
3. Requires an Internet connection to the printer. Feature works with any connected Internet- and email-capable device. Print times may vary. For a list of supported documents, and image types, see <http://www.hp.com/go/eprintcenter>. And for additional solutions, see <http://www.hp.com/go/mobile-printing-solutions>.
4. Solutions deployed through the hardware integration pocket may require additional purchase.
5. Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver and document complexity.
6. Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
7. HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.