

## DELL ULTRASHARP 27 USB-C HUB MONITOR | U2722DE CONNECTED PRODUCTIVITY. Vibrant color.





Take your work to new heights with this stylish 27" QHD monitor with wide color coverage and multitasking features.

# YOUR PRODUCTIVITY HUB

Experience stable wired connection to your network and peripherals with RJ45, USB-C<sup>®</sup> and a host of other ports.



#### VIBRANT COLOR. EASY ON THE EYES.

Features ComfortView Plus, an always on built-in low blue light screen that reduces low blue light while maintaining color accuracy.



#### TRUSTED RELIABILITY

World's number 1 monitor company.\* Backed by renowned Dell reliability.

## Connected productivity. Vibrant color.



YOUR

PRODUCTIVITY

HUB

**Designed with wellness in mind:** Optimize eye comfort with ComfortView Plus — an always on built-in low blue light screen that reduces harmful blue light emissions while delivering excellent color performance. TÜV Rheinland certified!

**Consistent, vibrant colors:** Enjoy true-to-life color with a color depth of 1.07 billion colors, wide color coverage including 100% sRGB, 100% Rec.709 and 95% DCI-P3. In-Plane Switching (IPS) technology delivers consistent color and picture quality across a wide 178°/178° viewing angle.

**See details with striking clarity:** With QHD (2560x1440) resolution on this 27" screen, you'll see 1.77 times more details than Full HD.

**Connect to productivity:** With connectivity options like RJ45 and USB-C, your monitor serves as a productivity hub that delivers stable Ethernet<sup>2</sup> and up to 90W<sup>3</sup> of power to your laptop — all in a clutter-free setup.

Easy to manage: MAC Address pass-through<sup>4</sup>, PXE Boot, and Wake-on-LAN are conveniently built in.

Jumpstart productivity: Simply press the monitor power button and the power sync feature seamlessly starts your monitor and connected Dell PC, even when the laptop lid is closed. Compatible with select Dell PCs.<sup>5</sup>

**Fast connections:** Connect to a variety of devices with extensive connectivity ports, including super speed USB 10Gbps. Quick access ports enable easy connection to peripherals, such as storage devices and mobile phones, with up to 15W charging capability (via USB-C). **Multitask efficiently:** Connect two PCs sources to the monitor. Our intelligent Auto KVM feature detects the latest connected PC and seamlessly switches controls over. View content from both PC sources with PBP (Picture-by-Picture) and PIP (Picture-in-Picture), and use the KVM (Keyboard, Video and Mouse) feature to control both PCs with a single keyboard and mouse.

<b>PURPOSE</b> BUILT	<ul> <li>Eco-conscious in design: This monitor is made of 85% PCR (Post-consumer Recyclable Plastic), meets the latest environmental standards such as ENERGY STAR® and TCO Certified Edge, and is EPEAT Gold registered.<sup>6</sup></li> <li>Style meets function: Crafted with a premium platinum silver finish, this sleek monitor features a small base and an elegant cable management system that hides cords within the monitor riser. Navigate the menu and adjust screen settings with the easy-to-use joystick control. Snap on the optional Dell Slim Soundbar (SB521A) for exceptional sound.</li> <li>Comfort is key: Tilt, swivel, pivot and adjust the height of your monitor to a maximum of 150mm for optimal viewing comfort.</li> <li>Expand your efficiency: Experience a seamless view across multiple monitors with virtually borderless InfinityEdge. And, with a dual monitor setup, you can increase your productivity by up to 21%.<sup>7</sup></li> <li>Multi-monitor sync: The OSD (Onscreen Menu Display) settings from one monitor can be synchronized across connected monitors for easy multi-monitor setup.<sup>8</sup></li> </ul>
DELL DISPLAY MANAGER	<ul> <li>Productive at every level: Dell Display Manager's (DDM)<sup>9</sup> Easy Arrange feature lets you quickly tile and view your applications side by side across one or more connected screens for multitasking efficiency.</li> <li>More ways to manage: Asset management reports allow IT managers to quickly capture and track monitor information as well as configure multiple monitors at once through a single setup.</li> </ul>
THANK YOU FOR MAKING DELL MONITORS #1 WORLDWIDE*	<ul> <li>Peace of mind: Dell Premium Panel Exchange allows a free monitor replacement during the Limited Hardware Warranty<sup>11</sup> period even if only one bright pixel is found.</li> <li>Minimize downtime: Your monitor comes with a 3-year Advanced Exchange Service<sup>12</sup> so that if a replacement becomes necessary, it will be shipped to you the next business day during your 3-year Limited Hardware Warranty.</li> <li>Get a higher level of support: Upgrade to 24 X 7, in-region technical phone support from qualified engineers with Dell ProSupport option.<sup>13</sup></li> </ul>

## Features & Technical Specifications

Monitor	Dell UltraSharp 27 USB-C Hub Monitor – U2722DE	What's in the box?
Diagonal Image Size	68.47 cm (27 inches)	Components
Active Display Area		Monitor with stand
Horizontal	596.7 mm (23.49 inches)	
Vertical	335.7 mm (13.21 inches)	Cables  • Power Cable
Maximum Preset Resolution	2560 x 1440 @ 60Hz 16:9	<ul> <li>DisplayPort Cable (DP to DP) - 1.8 M</li> </ul>
Aspect Ratio Pixel Pitch	0.9 0.2331 mm x 0.2331 mm	• USB Type-C <sup>®</sup> Cable (C to C) - 1 M
Pixels Per Inch (PPI)	0.23311111 × 0.23311111 108.78	• USB Type-C to Type-A Cable - 1 M
Brightness	350 cd/m² (typical)	Documentation
Color Gamut <sup>14</sup>	100% sRGB, 100% Rec.709, 95% DCI-P3	Quick Setup Guide
Calibration Accuracy	Delta E < 2 (average) for sRGB and Rec.709	Factory Calibration Report
Color Depth	1.07 billion colors	Safety and regulatory information
Contrast Ratio	1000: 1 (typical)	
Viewing Angle	178° vertical / 178° horizontal	
Response Time	8 ms (Normal mode); 5 ms (Fast mode)	
Panel Technology	In-Plane Switching Technology	
Backlight Technology	LED	
Display Screen Coating	Anti-glare treatment of the front polarizer (3H) hard coating	
ComfortView with Flicker-free Screen	Yes with ComfortView Plus, built-in low blue light screen (TÜV Rheinland certified – Low Blue Light	
	Hardware Solution and Flicker Free <sup>1</sup> )	
Dell Display Manager	Yes with Dell Easy Arrange and other key features	
Remote Asset Management	Yes, via Dell Command   Monitor	
Others	Daisy Chaining with Multi Monitor Sync to synchronize key OSD settings, KVM and Auto-KVM,	
	Picture-by-Picture, Picture-in-Picture	
Connectivity		
Connectors	1 x DP 1.4 (HDCP 1.4)	
	1 x HDMI 1.4	
	1 x USB-C (DP 1.4, Power Delivery up to 90W, 2/4 Lanes switch	USB 3.2 Gen2 10Gbps) upstream port
	1 x USB-C (USB 3.2 Gen2, 10Gbps) upstream port, data only	
	1 x DisplayPort (out)	
	3 x super speed USB-A (USB 3.2 Gen2, 10Gbps) downstream po	orts
	1 x super speed USB-A (USB 3.2 Gen2, 10Gbps) with B.C 1.2 1 x USB-C (USB 3.2 Gen2, 10Gbps, Up to 15W charging) downst	room port
	1 x Analog 2.0 audio line out (3.5mm jack)	ream port
	1 x RJ45 Port	
Dell Power Sync - Monitor and PCs	Yes - Available with select Dell PCs <sup>5</sup>	
Design features		
Adjustability	Hoight adjustable stand (150 mm) Tilt ( 50 to 210) Swivel ( 750	(10, 150) Pivot ( 900 to 900)
Security	Height-adjustable stand (150 mm), Tilt (-5° to 21°), Swivel (-45° to 45°), Pivot (-90° to 90°) Security lock slot (cable lock sold separately), Anti-theft stand lock slot (to panel)	
VESA Mounting Support	VESA mounting holes (100 mm x 100 mm — behind attached VESA cover)	
_		
Power		
AC Input	100 VAC to 240 VAC / 50 Hz or 60 Hz ± 3 Hz / 2.4 A (maximum	)
voltage/frequency/current		
Power Consumption (Normal Operation)	<0.3 W (Off Mode)	
	<0.5 W (Standby Mode) 30 W (On Mode)	
	197 W (Maximum)	
Dimensions (with stand)		
Height (Compressed ~ Extended)	385.1 mm ~ 535.1 mm (15.16 inches ~ 21.07 inches)	
Width	611.3 mm (24.07 inches)	
Depth	185.0 mm (7.28 inches)	
Weight		
Weight (panel only)	4.78 kg (10.54 lb)	
Weight (with stand and cables)	7.02 kg (15.47 lb)	
Shipping Weight	10.01 kg (22.06 lb)	
		ntu <sup>11</sup> Premium Panel Evebance
Standard Service Plan	3 Years Advanced Exchange Service <sup>12</sup> & Limited Hardware Warranty <sup>11</sup> , Premium Panel Exchange	
Optional Service Plan	Dell ProSupport <sup>13</sup>	
Environmental Compliance	ENERGY STAR® certified monitor, EPEAT® Gold registered where	
	Edge, BFR/PVC Free monitor (excluding external cables), Meets	NFPA 99 leakage current requirements,
	Arsenic-Free glass and Mercury-Free for the panel only	

### **Connectivity and Accessories**

DELL ULTRASHARP 27 USB-C HUB MONITOR | U2722DE



the world's first monitor arm that offers swivel angle adjustment with a flip of the switch.\*

magnetically attaches to Dell monitors<sup>16</sup>, offering a clean desk experience.

DELL PREMIER MULTI-DEVICE WIRELESS KEYBOARD AND MOUSE | KM7321W10

Multi-task seamlessly across 3 devices with this premium full size keyboard and sculpted mouse combo with programmable shortcuts and 36 months battery life.<sup>17</sup>

\* Dell monitors are #1 Worldwide for 7 consecutive years (2013, Q2 to 2020, Q3)! Source: IDC Worldwide Quarterly PC Monitor Tracker, Q3, 2020. \*\* Based on internal analysis, November 2019.

- \*\*\* Based on Dell analysis, rovember 2013.
   \*\*\* Based on Dell analysis of publicly available specs of comparative attachable monitor soundbars, July 2020.
   1 TÜV Rheinland certified Low Blat Hardware Solution and Flicker Free (ID 1111232805). For more details, visit www.tuv.com.
- 2 Ethernet connection via the RJ45 port.
- 3 Dell adheres to standard USB-C specifications and protocol. Functionality with non-Dell USB-C systems may vary.

- 6 EPEAT registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country.
- 7 Source: Based on Principled Technologies Report commissioned by Dell. Actual results will vary. Full report: https://www.principledtechnologies.com/Dell/P2419H\_monitor\_
- productivity\_1118.pdf 8 Limited to select OSD functions; applies to daisy chained monitors via DP. Please refer to the User Guide for the full list.
- 9 Learn more about Dell Display Manager software and where to download at dell.com/ddm
- 10 Product availability varies by country. Contact your Dell representative or visit Dell.com to learn more.
- 11 For a copy of the Limited Hardware Warranty, write to Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see dell.com/warranty.
- 12 Advanced Exchange: Dell will send you a replacement monitor the next business day in most cases, if deemed necessary after phone/online diagnosis. Shipping times may vary by location and for monitors 55" and above. Fee charged for failure to return defective unit. See dell.com/servicecontracts/global.
- 13 Availability varies, please visit www.dell.com/support for details.
- 14 At panel native only, under Custom Mode preset.
- Connect external speakers. The audio line-out does not support headphones.
   Compatible with select Dell monitors only. Please refer to the <u>Dell Slim Soundbar SB521A</u> compatibility list on dell.com
- 17 Based on Dell analysis of battery life usage model calculations, Nov. 2020. Results vary depending on use, operating conditions and other factors.

#### Dell.com/monitors

Product availability varies by country. Please contact your Dell representative for more information.

© 2021 Dell Inc. or its subsidiaries. All Rights Reserved. Dell Technologies, Dell, EMC, Dell EMC and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners. USB Type-C<sup>®</sup> and USB-C<sup>®</sup> are registered trademarks of USB Implementers Forum.





